## FibroGen Provides Additional Information on Roxadustat

April 5, 2021



## Roxadustat Cardiovascular Safety Results

	Analyses with post-hoc stratification factors	Analyses with pre-specified stratification factors
	HR (95% Confidence Interval)	HR (95% Confidence Interval)
Non Dialysis (OLYMPUS, ANDES, ALPS N=4,270); ITT		
MACE	1.08 (0.94, 1.24)	1.10 (0.96, 1.27)
MACE+	1.04 (0.91, 1.18)	1.07 (0.94, 1.21)
ACM	1.06 (0.91, 1.23)	1.08 (0.93, 1.26)
Dialysis Dependent (HIMALAYAS, SIERRAS, ROCKIES N=3,880); OT-7		
MACE	0.96 (0.82, 1.13)	1.02 (0.88, 1.20)
MACE+	0.86 (0.74, 0.98)	0.91 (0.80, 1.05)
ACM	0.96 (0.79, 1.17)	1.02 (0.84, 1.23)
Incident Dialysis (N=1,526); OT-7		
MACE	0.70 (0.51, 0.96)	0.82 (0.60, 1.11)
MACE+	0.66 (0.50, 0.89)	0.78 (0.59, 1.02)
ACM	0.76 (0.52, 1.11)	0.82 (0.57, 1.18)

ITT - intention to treat with long-term follow up

OT-7 - on-treatment plus 7 days

Major Adverse Cardiovascular Event (MACE) - a composite endpoint of all-cause mortality, stroke, and myocardial infarction. (MACE+) - in addition to the components in MACE, includes hospitalization due to heart failure or unstable angina. (ACM) - all-cause mortality.



## Thank You

For more information contact at mtung@fibrogen.com